		26 August 1965	
		Páge <u>L</u>	•
•			
		ROCKET ENGINE TEST FACILITY PEIPING, CHINA	
	1.	WHEN FIRST OBSERVED ON ONLY A POSSIBLE	2
		AIRWAY BEACON, ONE BUILDING, GROUND SCARRING AT THE NORTH END, AND	
		POSSIBLY SOME STRUCTURES IN WHAT NOW COMPRISES THE HOUSING AND/OR	
	*	POSSIBLE R & D AREA WERE EVIDENT. NO TEST FACILITIES WERE OBSERVED.	
		BETWEEN JUNE 1959 AND JULY 1965 FIFTEEN KH AND HAVE	
		COVERED THIS FACILITY.	
•	2.	FACILITIES INCLUDE 1 HORIZONTAL AND 3 VERTICAL TEST STANDS WITH	
		RELATED SUPPORT FACILITIES, A COMPONENTS TEST AREA (INITIALLY IDENTI-	
		FIED AS A POSSIBLE LOX PLANT), A HOUSING AND/OR POSSIBLE R & D AREA,	
	•	A STORAGE AREA, AND AN UNIDENTIFIED SECURED AREA WHICH SEEMS TO BE	
	٠	AN INDEPENDENT UNIT.	•
	3.	CONSTRUCTION OF 2 VERTICAL TEST STANDS WAS COMPLETE IN AUGUST 1962	
		AND THE THIRD APPEARED COMPLETE IN FEBRUARY 1964. ALL MAIN COM-	. •
		PONENTS OF THE FACILITY WERE COMPLETE BY MARCH 1964.	
	4.	A HORIZONTAL TEST STAND WAS FIRST IDENTIFIED ON	:
		WHEN A TEST FIRING WAS OBSERVED IN PROGRESS. THIS WAS THE	2
		FIRST INDICATION OF OPERATIONAL ACTIVITY AT THIS FACILITY.	
	5.	REVEALS INDICATIONS OF CONTINUING TEST	

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be consistened valid only for the reporting period as indicated by the date of issue.

2

Approved TOPR SEGRET 07/04/20 : CIA-RDP78T05929A001100150006-7

26 August 1965

Page Z

THE EFFLUENT SUMPS AND EARTH SCARRING IN THE BLAST PITS AT THE TEST BECAUSE OF A BLAST MARK, INDICATING TEST ACTIVITY, THE STANDS. AREA INITIALLY IDENTIFIED AS A POSSIBLE LOX PLANT CAN NOW BE CON-FIRMED AS A COMPONENTS TEST AREA. CONSTRUCTION ACTIVITY AT THE NORTH END OF THE TEST STAND AREA, FIRST OBSERVED IN FEBRUARY 1964, IS CONTINUING. SEVERAL SMALL STRUCTURES ARE VISIBLE IN THE AREA.

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date

